




SC Simplex Multimode Adapter



Shenzhen Optostar Optoelectronics Co., Ltd

2011. 09 (Version 2)

Overview

SC Duplex Aqua Multimode 10Gb OM3 Adapter with flange. This mating sleeve is designed to connect two duplex SC fiber optic cables.

Fits standard SC Duplex cutout for adapter plates, patch panels, and wall mounts.

Product Features

- Low insertion loss, high return loss
- Good compatibility
- High precision of mechanical dimensions
- High reliability & stability
- PC,APC,UPC optional

Application

- Fiber Optic Telecommunications
- FTTH (Fiber to the Home), CATV, CCTV
- Data Processing Networks
- Telecommunication Equipment
- LAN (Local Area Networks)

Technical Parameter

Parameter	Unit	LC, SC, FC, MU, ST, SC-ST, FC-ST, FC-SC, FC-LC, FC-MU				MTRJ		E2000		
		SM			MM	SM		MM	SM	
Category		PC	UPC	APC	PC	PC	UPC	PC	PC	APC
Insertion Loss (Typical)	dB	≤0.3	≤0.2	≤0.3	≤0.2	≤0.3	≤0.2	≤0.2	≤0.3	≤0.3
Return Loss	dB	≥45	≥50	≥60	≥30	≥45	≥50	≥35	≥55	≥75

Exchange ability	dB	≤0.2	≤0.2	≤0.2
Repeat ability	dB	≤0.2	≤0.2	≤0.2
Durability	Time	>1000	>1000	>1000
Operating Temperature	°C	-40~75	-40~75	-40~75
Storage Temperature	°C	-45~85	-45~85	-45~85

Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or others. Further details are available from any OPTOSTAR sales representative.

Contact OPTOSTAR

Shenzhen Optostar Optoelectronics Co., Ltd

Address:A-14,Haide Building,the Intersection of Nanxin Road and Haide Second Road Nanshan District Shenzhen,China .

Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: info@optostar.com.cn

Skype:ouyangroya

Web: www.optostar.com.cn