

SC/UPC Terminator



Shenzhen Optostar Optoelectronics Co., Ltd 2011. 09(Version 2)



Overview

Optical Terminator Plugs are passive components designed to eliminate reflections from unused fiber optic ports. These optical terminators can be used to terminate dark fiber ports in fiber optic systems and networks. Optical Terminator plugs also provide improved personnel safety over other termination methods.

The SC/UPC fiber optic terminator is designed to eliminate back reflection. Uses doped fiber technology, operates from wavelengths 1250-1650, and has a return loss of at least 55dB.

Product Features

- Low insertion loss, high return loss
- Good compatibility
- High precision of mechanical dimensions
- High reliability & stability
- PC,APC,UPC optional

Application

- Fiber Optic Telecommunications
- FTTH (Fiber to the Home), CATV, CCTV
- Data Processing Networks
- > Telecommunication Equipment
- LAN (Local Area Networks)

Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or



others. Further details are available from any OPTOSTAR sales representative.

Contact OPTOSTAR

Shenzhen Optostar Optoelectronics Co., Ltd

Address: A-14, Haide Building, the Intersection of Nanxin Road and Haide Second Road Nansha n District Shenzhen, China .

Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: info@optostar.com.cn

Skype:ouyangroya

Web: www.optostar.com.cn