



## Slidable Rack-mounted ODF

OP-ODF-S-D Series



Shenzhen Optostar Optoelectronics Co., Ltd

2011. 06 (Version 2)

## Overview

24Cores ODF is 1U 19" rack mount standard design suitable for ETSI standard 19" racks. Can loaded with ST, SC, LC, MTRJ, FC adapters. The drawer is the holding board for splicing, easy to withdraw the fibers when testing and distributing

## Product Features


- Standard size, light weight and reasonable structure
- Slide out drawer for easy cable management
- Suitable for ribbon and single fiber, Easy for management and operation
- Compact design for space saving, 4pcs cable port at back side of the patch panel.
- Various panel plate to fit different adapter interface

## Application

- Telecommunications
- Fiber to the home (FTTH)
- LAN/WAN
- CATV

## Technical Parameter

- Operating temperature: -5~+40℃
- Relative humidity: ≤85%(+30℃)
- Atmospheric pressure: 70~-106Kpa
- Durability: >1000 times
- Standard working wavelength: 850nm, 1310nm, 1550nm
- Place of Origin: Guangdong, China (Mainland)



- Quality certificate: SGS
- Material: cold-roll steel
- Capacity: 24cores
- Color: Hoar or black

### Order Information

Model	Description
OP-ODF-S-D	Slidable Rack-mounted ODF

### Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or others. Further details are available from any OPTOSTAR sales representative.

## Contact OPTOSTAR

### Shenzhen Optostar Optoelectronics Co., Ltd

Address:A-14,Haide Building,the Intersection of Nanxin Road and Haide Second Road Nanshan District Shenzhen,China .

Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: [info@optostar.com.cn](mailto:info@optostar.com.cn)

Skype:ouyangroya

Web: [www.optostar.com.cn](http://www.optostar.com.cn)