



## Metal Fiber Termination Box

OP-OTB-TM-D



Shenzhen Optostar Optoelectronics Co., Ltd

2011. 06 (Version 2)

## Overview

Fiber optic terminal box is available for the distribution and terminal connection of various kinds of optical fiber system, especially suitable for mini-network terminal distribution, in which the optical cable, patch cords or pigtailed are connected.

## Product Features

- 8,12,24 ports optional
- Small volume, for indoor use
- Suitable for FC, SC, ST, LC adapters
- Cold-roll steel, stainless steel, iron or ABS plastic material optional
- Compact structure, convenient installation and maintenance
- stainless steel fiber optic terminal box
- 2 cable entry ports
- easy installation
- for FTTH solutions
- OEM/ODM

## Application

- Available for the distribution and terminal connection of various kinds of optical fiber system
- Suitable for mini-network terminal distribution, in which the optical cables, patch cords or pigtailed are connected.

## Technical Parameter

- Operating temperature: -5~+40°C
- Relative humidity: ≤85%(+30°C)

- Atmospheric pressure:70~-106Kpa
- Durability: >1000 times
- Place of Origin: Guangdong, China (Mainland)
- Product: fiber optic terminal box
- Material: Stainless steel
- Dimension: 36x16.5x4.8cm
- Weight: 1.5kg
- Cable entry ports: 4
- Capacity: 8~24Fiber
- Ports quantity: 2port
- Adapters: FC,SC,LC,ST optional
- Application: FTTX, FTTH

### Order Information

Model	Description
OP-OTB-TM-D	8~24Fiber 360x165x48 mm

### Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or others. Further details are available from any OPTOSTAR sales representative.

## Contact OPTOSTAR

### Shenzhen Optostar Optoelectronics Co., Ltd

Address:A-14,Haide Building,the Intersection of Nanxin Road and Haide Second Road Nanshan District Shenzhen,China .



Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: [info@optostar.com.cn](mailto:info@optostar.com.cn)

Skype:ouyangroya

Web: [www.optostar.com.cn](http://www.optostar.com.cn)