

Plastic Fiber Termination Box

OP-OTB-P-A



Shenzhen Optostar Optoelectronics Co., Ltd 2011. 06(Version 2)



Overview

Fiber optic terminal box is available for the distribution and terminal connection for various kinds of optical fiber system, especially suitable for mini-network terminal distribution, in which the optical cables, patch cores or pigtails are connected.

Model: OP-OTB-P-A is a ABS plastic terminal box, 2 input cable ports, 8 output cable ports; PLC splitter can be loaded inside, suitable for indoor and outdoor wall-mounted & pole mounted using.

Product Features

- Made of high impact ABS plastic
- Can accommodate 1x4, 1x8, 2x4, 2x8 PLC splitter.
- Outdoor or indoor using, waterproof, IP65
- Up to 8 FTTH drops.
- Wall mounted and pole mounted application.

Application

- > FTTH access network
- Telecommunication Networks
- CATV Networks
- Data communications Networks
- Local Area Networks

Technical Parameter

- ightharpoonup Operating temperature: -5 \sim +40 $^{\circ}\mathrm{C}$
- Relative humidity: ≤85%(+30°C)
- ➤ Atmospheric pressure:70~-106Kpa



Durability: >1000 times

Place of Origin: Guangdong, China (Mainland)

Product: fiber optic terminal box

Material: ABS Plastic

Order Information

Model	Description
OP-OTB-P-A	8 ports 207x181x45 mm
	2 inlet ports,8 outlet ports, can load 8pcs SC simplex adapters

Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or others. Further details are available from any OPTOSTAR sales representative.

Contact OPTOSTAR

Shenzhen Optostar Optoelectronics Co., Ltd

Address: A-14, Haide Building, the Intersection of Nanxin Road and Haide Second Road Nanshan District Shenzhen, China.

Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: info@optostar.com.cn

Skype:ouyangroya

Web: www.optostar.com.cn