



## Plastic Fiber Termination Box

OP-OTB-P-C



Shenzhen Optostar Optoelectronics Co., Ltd

2011. 06 (Version 2)

## Overview

Fiber optic terminal box is available for the distribution and terminal connection for various kinds of optical fiber system, especially suitable for mini-network terminal distribution, in which the optical cables, patch cores or pigtails are connected.

Model: OP-OTB-P-C is a ABS plastic terminal box, 2 input cable ports, 16 output cable ports; PLC splitter can be loaded inside, suitable for indoor and outdoor wall-mounted & pole mounted using.

## Product Features

- Made of high impact ABS plastic
- Can accommodate 1x4, 1x8, 1X16, 2x4, 2x8 & 2x16 PLC splitter.
- Outdoor or indoor using, waterproof, IP66
- Up to 16 FTTH drops.
- Wall mounting and pole mounting application.
- Three kind cable ports for chose.



**OP-OTB-P-C**



**OP-OTB-P-CA**



**OP-OTB-P-CB**

### Application

- FTTH access network
- Telecommunication Networks
- CATV Networks
- Data communications Networks
- Local Area Networks

### Technical Parameter

- Operating temperature: -5~+40℃
- Relative humidity: ≤85%(+30℃)
- Atmospheric pressure: 70~-106Kpa
- Durability: >1000 times
- Place of Origin: Guangdong, China (Mainland)
- Product: fiber optic terminal box
- Material: ABS Plastic

### Order Information

Model	Description
OP-OTB-P-C	<b>16 ports</b> <b>300x220x80 mm</b> <b>2 inlet ports,16 outlet ports, can load 16pcs SC simplex adapters</b>
OP-OTB-P-CA	<b>16 ports</b> <b>300x220x80 mm</b> <b>2 inlet ports,16 outlet ports, can load 16pcs SC simplex adapters</b>
OP-OTB-P-CB	<b>16 ports</b> <b>300x220x80 mm</b> <b>2 inlet ports,16 outlet ports, can load 16pcs SC simplex adapters</b>

## Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or others. Further details are available from any OPTOSTAR sales representative.

## Contact OPTOSTAR

### Shenzhen Optostar Optoelectronics Co., Ltd

Address:A-14,Haide Building,the Intersection of Nanxin Road and Haide Second Road Nanshan District Shenzhen,China .

Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: [info@optostar.com.cn](mailto:info@optostar.com.cn)

Skype:ouyangroya

Web: [www.optostar.com.cn](http://www.optostar.com.cn)