




Plastic Fiber Termination Box

OP-OTB-P-D



Shenzhen Optostar Optoelectronics Co., Ltd

2011. 06(Version 2)

Overview

The fiber optic terminal box is suitable for optical fiber splitting/splicing using. It is reasonable design for fiber arrangement, and its bend radius is more than 30mm.

Product Features

- Industry Standard User Interface, be made of ABS plastic.
- Can accommodate 1x4, 1x8, 1X16, 2x4, 2x8 & 2x16 PLC steel tube splitter.
- Rainfall resistant, outdoor using.
- Can load 24pcs LC, FC, ST, SC ... adapters.
- Wall mounting and pole mounting application.
- 2pcs cable entry ports;
- 16pcs exit ports for FTTH drop cable.

Application

- FTTH access network
- Telecommunication Networks
- CATV Networks
- Data communications Networks
- Local Area Networks

Technical Parameter

- Operating temperature: -5~+40℃
- Relative humidity: ≤85%(+30℃)

- Atmospheric pressure:70~-106Kpa
- Durability: >1000 times
- Place of Origin: Guangdong, China (Mainland)
- Product: fiber optic terminal box
- Material: ABS Plastic
- Size: 250x302x92mm
- Capacity: Max. 16fibers
- Can load max.2pcs 8way splitter box
- Can load max.16pcs SC simplex, FC simplex, LC duplex ... adapters

Order Information

Model	Description
OP-OTB-P-D	16fibers 250x302x92 mm 2pcs 8way splitter box Can load max.16pcs SC simplex, FC simplex, LC duplex ... adapters

Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or others. Further details are available from any OPTOSTAR sales representative.



Contact OPTOSTAR

Shenzhen Optostar Optoelectronics Co., Ltd

Address:A-14,Haide Building,the Intersection of Nanxin Road and Haide Second Road Nanshan District Shenzhen,China .

Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: info@optostar.com.cn

Skype:ouyangroya

Web: www.optostar.com.cn