

Plastic Fiber Termination Box

OP-OTB-P-G



Shenzhen Optostar Optoelectronics Co., Ltd 2011. 06(Version 2)



Overview

Fiber optic terminal box is available for the distribution and terminal connection for various kinds of optical fiber system, especially suitable for mini-network terminal distribution, in which the optical cables, patch cores or pigtails are connected.

Model: OP-OTB-P-G is a mini. FTTH terminal box, made of ABS plastic, 4 ports, usually for wall mounted using.

Prduct Features

- OP-OTB-P-G is suitable for FTTH, optical fiber splitting/splicing using.
- ABS plastic, light weight
- Reasonable design for fiber arrangement, bend radius more than 30mm
- > Suitable for 1pc 4 way splitter or 1pc 8 way splitter with LC connector (Steel tube type)

Application

Suitable for Pigtail, ribbon and bunch cable connect distribution

Used for wall-mounted, desktop ect. applications

Technical Parameter

- ➤ Operate temperature:-5°C+40°C
- Relative humidity:≤90%(+30°C)
- Atmospheric pressure: 70Kpa-106Kpa
- Storage Temperature:-40°C+70°C
- ➤ Optical parameter: Insertion loss≤0.3dB;
- Excess loss:≤0.2B;
- ➤ Return loss≥50dB



> IP standard:IP55

Order Information

Model	Description
	4 fibers
OP-OTB-P-G	212(H)mm×142(W)mm×40(D) mm
	2 cable entry ports

Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or others. Further details are available from any OPTOSTAR sales representative.

Contact OPTOSTAR

Shenzhen Optostar Optoelectronics Co., Ltd

Address: A-14, Haide Building, the Intersection of Nanxin Road and Haide Second Road Nansha n District Shenzhen, China .

Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: info@optostar.com.cn

Skype:ouyangroya

Web: www.optostar.com.cn