




Plastic Fiber Termination Box

OP-OTB-P-I



Shenzhen Optostar Optoelectronics Co., Ltd


2011. 06 (Version 2)

Overview

Fiber optic terminal box used in the end termination of residential building and villas, to fix and splice with pigtails. Made of ABS plastic, the cover is inserted into base.

Product Features

- OP-OTB-P-I is suitable for FTTH, optical fiber splitting/splicing using.
- ABS plastic, light weight
- Reasonable design for fiber arrangement, bend radius more than 30mm
- Suitable for 1pc 4 way splitter or 1pc 8 way splitter with LC connector (Steel tube type)



Application

Suitable for Pigtail, ribbon and bunch cable connect distribution

Used for wall-mounted, desktop ect. applications

Technical Parameter

- Operate temperature:-5°C+40°C
- Relative humidity:≤90%(+30°C)
- Atmospheric pressure: 70Kpa-106Kpa
- Storage Temperature:-40°C+70°C
- Reasonable design, suitable for 4pcs SC simplex adapter, pigtail, and fast connector.
- 2pcs cable entry ports, max cable dimension 8mm, cable can be entry without cutting.
- 4pcs drop cable entry ports, easy use.
- Can put one 1*4 PLC splitter.
- It can be installed on the wall and table. IP20
- Size: 165*90*24mm,
- weight: 110g.
- Color: black or white optional.

Order Information

Model	Description
OP-OTB-P-I	Can put one 1*4 PLC splitter. 165*90*24mm

Important Notice

Performance figures, data and any illustrative material provided in this data sheet are typical and must be specifically confirmed in writing by OPTOSTAR before they become applicable to any particular order or contract. In accordance with the OPTOSTAR policy of continuous improvement specifications may change without notice.

The publication of information in this data sheet does not imply freedom from patent or other protective rights of OPTOSTAR or others. Further details are available from any OPTOSTAR sales representative.



Contact OPTOSTAR

Shenzhen Optostar Optoelectronics Co., Ltd

Address:A-14,Haide Building,the Intersection of Nanxin Road and Haide Second Road Nanshan District Shenzhen,China .

Tel: +86-755-26400198 +86-755-26400288 Fax: +86-755-26411001

Email: info@optostar.com.cn

Skype:ouyangroya

Web: www.optostar.com.cn